#### GOVERNMENT OF MIZORAM HEALTH & FAMILY WELFARE DEPARTMENT MIZORAM SECRETARIAT BUILDING, MINECO, KHATLA

·Azadi <sub>Ka</sub> Amrit Mahotsav

### **NOTIFICATION**

Aizawl, 22<sup>nd</sup> July, 2022.

No. D.33011/39/2022-HFW(SOP)/88: In the interest of public service and in view of the recent surge of Covid-19 cases in the state, the Governor of Mizoram is pleased to notify Guidelines for referral of Covid-19 cases to Hospital as stated below with immediate effect and until further orders-

### A. FOR GENERAL COVID-19 PATIENTS

Any patient developing one of the following **RED FLAG SIGNS** should be referred to a hospital that can treat Covid-19 patients. (The reason for referral with details of the clinical status must be clearly mentioned in the referral form)

- Resting tachycardia (HR >100/min) on 2 occasions at least 12 hours apart
- Oxygen saturation < 94% in room air on 2 occasions at least 12 hours apart</li>
- 6 minutes walk induced desaturation
- Uncontrolled High grade fever (>103° F) / Uncontrolled Severe cough > 72 hours
- Confusion and Hallucinations
- Lethargy and poor responsiveness

# B. FOR CHRONIC HEART AND LUNG DISEASES, IMMUNO COMPROMISED PATIENTS, OTHER CHRONIC DEBUTATING ILLNESS

Any patients developing one of the following RED FLAG SIGNS should be referred to a hospital that can treat Covid-19 patients. (The reason for referral with details of the clinical status must be clearly mentioned in the referral form)

- Resting tachycardia (HR >100/min)
- Oxygen saturation < 94% in room air</li>
- Respiratory rate > 24 /min
- High grade fever (>103° F) / Uncontrolled Severe cough > 24 hours
- Confusion and Hallucinations
- Lethargy and poor responsiveness

\*Immunocompromised status - HIV, Cancer, Connective tissue diseases (SLE, systemic sclerosis etc. on >1 immunosupressants), post-transplant patients, only decompensated CLD (in case of Hep B & C positive & Alcoholic liver disease)

# C. REFERRAL GUIDELINES FOR OBSTETRIC (PREGNANT) **PATIENTS**

- 1) any term pregnancy >37weeks gestation irrespective of symptoms
- 2) with obstetric complaints
  - bleeding p/v
  - leaking p/v
  - pain abdomen suggestive of labour or any obst/surgical/medical emergencies.
- 3) with Covid symptoms
  - persistent fever with/without cough > 3 days
  - persistent dry cough > 5days.
  - Shortness of breath/dyspnoea with SPO2 < 95%, RR > 24/min
  - recurrent vomiting/loose stool requiring Intravenous fluid.

# D. REFERRAL GUIDELINES FOR PAEDIATRICS PATIENTS

- 1) Persistent fever high grade more than 4 days.
- 2) Fast breathing: Respiratory rate > 60/min in 50/min 2months 12 months >  $40/\min 1 \text{yr} - 5 \text{yrs} > 30/\min > 5 \text{yrs}$ .
- 3) Loose stool with vomiting unable to take oral feeds
- 4) Lethargy and irritable.
- 5) Recurrent vomiting requiring IVF.
- 6) Fever with signs of meningeal irritation such as convulsion, drowsiness, projectile

# E. CRITERIA FOR COVID-19 ICU ADMISSION:

- 1. Patient requiring Invasive Mechanical Ventilation.
- 2. Respiratory Distress Needing O2>10LPM to maintain SpO2>92 % or PaO2>65.
- 3. Rapid escalation of oxygen requirement.
- 4. Significant work of breathing i.e. Tachypnea.
- 5. Patient with haemodynamic instability despite initial conservative fluid resuscitation.
- 6. Patient requiring vasopressor support.
- 7. Patient with a decreased level of consciousness.
- 8. Acidosis
  - ABG with pH<7.3 or PCO2>50 or above
  - Patient's baseline Lactate >2.
- 9. Patient with more than one organ failure.
- 10. Patient requiring continuous renal replacement therapy (CRRT) and cannot tolerate haemodialysis.
- 11. Patient with unstable vital signs not yet on vasopressors.
- 12. Patient with new ECG findings, including Ischemia, arrhythmias, heart block.

## 6 minute walk test for covid-19 patients:

- This test is used to unmask hypoxia.
- Patient is asked to walk around for 6 minutes and his O2 sat checked after that.
- Patients with positive 6 minute walk test may progress to become hypoxic and hence early intervention in form of admission to hospital, or shifting to ICU and giving oxygen and +/- Steroids is recommended.
- The 6 minutes may be cut short for 3 minutes in patients above 60 years of age.
- Any drop in saturation below 93%, or an absolute drop of more than 3%, or feeling unwell (light headed, short of breath) while performing the test are significant findings.

# Sd/-VANLAL CHHUANGA

Principal Secretary to the Govt. of Mizoram, Health & Family Welfare Department

Memo No. D.33011/39/2022-HFW(SOP)/88: Aizawl, the 22<sup>nd</sup> July, 2022.

- 1. Secretary to Governor, Government of Mizoram.
- 2. P.S to Chief Minister, Government of Mizoram.
- 3. P.S to Deputy Chief Minister, Government of Mizoram.
- 4. P.S to Speaker, Ministers, Deputy Speaker, Minister of State, Deputy Govt. Chief Whip, Vice Chairman, Lunglei HPC, Vice Chairman, State Planning Board.
- 5. P.S to M.L.A & Vice Chairman, H&FW Board.
- 6. Sr.PPS to Chief Secretary, Government of Mizoram.
- 7. PPS to Principal Secretary, Health & Family Welfare Department.
- 8. PPS to Secretary, Home/DM&R Department.
- 9. All Administrative Heads of Department, Mizoram.
- 10. All Heads of Department, Mizoram.
- 11. All Deputy Commissioners, Mizoram.
- 12. Principal Director, Health & Family Welfare Department.
- 13. Director, Health Services.
- 14. Director, Hospital & Medical Education.
- 15. Director, Zoram Medical College, Falkawn.
- 16. Director, I&PR for wide publication.
- 17. Mission Director, NHM.
- 18. All Medical Superintendents.
- 19. All Chief Medical Officers.
- 20. Web Manager, IT Section, Directorate of Health Services.

21. Guard File

(JOSEPHINE ZONUNSANGI)
Under Secretary to the Government of Mizoram

### Health & Family Welfare Department