

## Regional Drugs Testing Laboratory

Directorate General of Health Services, Guwahati (India) - 781/022 Fax: 0361-2338555/2330555 Phone No.0361 2338555

Email:rdtlguwahati@cdsco.nic.in

## **FORM 13**

(See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

1. Name of Inspector from whom received

· Lalruatdika Varte

**Drugs Inspector** 

Office of the Senior Chief Medical Officer,

Kolasib, Mizoram-796082

2. Serial No. and date of Inspector's memorandum

: KLB/03/2024/DRUGS, Dated Kolasib, the 07th OCT, 2024

as Testi

Vahali

3. Number of Sample

Date of receipt

: 28-OCT-2024

5. Names of drugs purporting to be contained in the sample : CIPROFLOXACIN TABLETS IP 250 mg (Ciprodac 250)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024- 25/1216	GUW/LS/2024- 25/1240	CT22008	Aug-2022	Jul-2025	CADILA PHARMACEUTICALS LIMITED, 1389, Dholka- 382225, Dist. Ahmedabad

6. Condition of seals on

[the packet or on portion of sample or container]

Seals were intact & identical to the specimen impression of the seal received

from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied : Please see below

Date of Testing: From 07-Nov-2024 To 13-Nov-2024

COMPOSITION

Each film-coated tablet contains:

Ciprofloxacin Hydrochloride IP equivalent to Ciprofloxacin 250 mg

Protocol Applied: I.P. 2018

Sr No.	Test Name	Result	NA	
1	Description	White, round, bi-convex, film coated tablet having scored on one side in blister strip.		
2	Identification	Gives positive test for Ciprofloxacin.	NA	
3	Average weight	0.3332 g	NA	
4 Uniformity of weight		Complies.	NA	
5	Dissolution	Complies.	NLT 80. %	

Y

sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method
1	Ciprofloxacin Hydrochloride equivalent to Ciprofloxacin	264.8 mg/Tablet	250 mg/Tablet	105.92	90 % to 110 %	I.P. 2018

In the opinion of the undersigned the sample referred to above **is of standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules there under for the reasons given below:-

The sample conforms to I.P. with respect to the above tests only.

Date: 19-NOV-2024

Amar Jyofi Chamuah Government Analyst R.D.T.L., Guwahati-22

CDSCO CDSCO