



FORM 13  
 (See rule 46)  
 CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER  
 SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

- Name of Inspector from whom received : K.Lalngilneia  
 Asst. Director (F & D)  
 CMO Office, Mamit District: Mamit  
 Pin- 796441
- Serial No. and date of Inspector's memorandum : B.17011/12/09-CMO (M)/DRUGS/18 Date 10<sup>th</sup> Sep, 24
- Number of Sample : MD08/18
- Date of receipt : 19-SEP-2024
- Names of drugs purporting to be contained in the sample : Cefixime Dispersible Tablets IP (Cefime O 200 Tablets)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024-25/1252	GUW/LS/2024-25/1279	SPT-35562	05/2023	04/2025	Shervotec Pharmaceuticals 82/4 & 82/5, HPSIDC, Baddi, Distt. Solan (H.P)

- Condition of seals on [the packet or on portion of sample or container] : Seals were intact & identical to the specimen impression of the seal received from Drugs Inspector

- Result of test or analysis with protocols or test or analysis applied : Please see below

Date of Testing : From 12-Nov-2024 To 21-Nov-2024

COMPOSITION : Each uncoated dispersible tablet contains:  
 Cefixime Trihydrate I.P.  
 Eq. to Cefixime (Anhydrous) 200 mg

**Protocol Applied : I.P.2022**

Sr.No.	Test Name	Result	Limits
1	Description	Orange colour, round, bi-convex, uncoated dispersible tablet in aluminum blister pack.	NA
2	Identification	Gives positive test for Cefixime.	NA
3	Average Weight	0.3037 gm.	NA
4	Uniformity of weight	Complies.	NA
5	Uniformity of dispersion	Complies.	NA
6	Disintegration	Complies (All six units disintegrated within 20 seconds).	NMT 3 minutes

**Assay**

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method

1	Cefixime Trihydrate Eq. to Anhydrous Cefixime	201.2 mg/Tablet	200 mg/Tablet	100.6	90 % to 110 %	I.P.2022
---	---	-----------------	---------------	-------	---------------	----------

In the opinion of the undersigned the sample referred to above is of **standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules thereunder for the reasons given below:-

The sample conforms to I.P. with respect to the above tests only.

Date: 26-NOV-2024



GOVERNMENT ANALYST

**Dilip Kr. Sarkar**  
 Government Analyst  
 R.D.T.L., Guwahati-22

.....END OF REPORT.....

