

2310185	943614100	2	Dr. Malsawmtluang	Dy
2336837	9862770017	3	Dr. Sangzuala	
2318795	9863370699			
2322284	9862860267			
2324186	9862787705	1	Mizoram Nursing Council	

Engineering &  
Diploma in ECG

**NO.B.17011/4/16-DHS/DRUGS/  
GOVERNMENT OF MIZORAM  
DIRECTORATE OF HEALTH SERVICES  
(FOOD & DRUGS ADMINISTRATION WING)  
MIZORAM : AIZAWL**

Dated Aizawl, the 17<sup>th</sup> August, 2017

To, The Deputy Director (F&D), Aizawl West/ Lunglei District  
The Assistant Director (F&D) \_\_\_\_\_ District, Mizoram


Subject: Drugs/Cosmetics declared to be not of standard quality – reg.

I am sending herewith list of Drugs/Cosmetics declared to be not of standard quality received from Deputy Drugs Controller (India), for your kind information.

- |   |               |
|---|---------------|
| 1. No.EZ/6-12/SUB-STD-GENERAL/2017/3578 | Dt.30.05.2017 |
| 2. No.EZ/6-12/SUB-STD-GENERAL/2017/3592 | Dt.30.05.2017 |
| 3. No.DC/Bulletin/2017/986              | Dt.16.05.2017 |
| 4. No.EZ/6-12/SUB-STD-GENERAL/2017/5094 | Dt.18.07.2017 |
| 5. No.EZ/6-12/SUB-STD-GENERAL/2017/5157 | Dt.19.07.2017 |
| 6. No.EZ/6-12/SUB-STD-GENERAL/2017/5171 | Dt.19.07.2017 |
| 7. No.EZ/6-12/SUB-STD-GENERAL/2017/5202 | Dt.20.07.2017 |
| 8. No.EZ/6-12/SUB-STD-GENERAL/2017/5189 | Dt.20.07.2017 |
| 9. No.EZ/6-12/SUB-STD-GENERAL/2017/5266 | Dt.21.07.2016 |

You are therefore requested to keep a strict watch on the movement of the stated drugs and freeze the stock, if available, within your jurisdiction.

Enclose: As Above.

  
**(LALSAWMA)**  
 Joint Director (F&D)  
 Controlling & Licensing Authority  
 Directorate of Health Services  
 Mizoram:Aizawl

Memo NO.B.17011/4/16-DHS/DRUGS  
Copy to:-

Dated Aizawl, the 17<sup>th</sup> August, 2017

1. The Deputy Director, Central Medical Store, Zemabawk.
2. The Medical Superintendent, Civil Hospital, Aizawl.
3. The Medical Superintendent, Synod Hospital, Durtlang.
4. Christian Hospital, Serkawn.
5. I.T Section DHS for publication, Health & family Welfare Department Website.
6. The Asst. Drugs Controller (India) CDSCO, East Zone, Kolkatta, Nizam Palace, 2<sup>nd</sup> Floor, 234/4 AJC Bose Road, Kolkatta-700020 for information.

Joint Director (F&D)  
 Controlling & Licensing Authority  
 Directorate of Health Services  
 Mizoram:Aizawl

## 1. No . EZ/6-12/SUB-STD-GENERAL/2017/.3578

Date 30 MAY 2017

Sl No.	Test report reg. number	Name of the product Batch No.D/M : & D/E:	Manufacture,s name	Reason for declaring 'Not of standard Quality'
1.	32-12/2017-SS /DCA(H)-193/592 dated 17.05.2017 issued by Govt.Analyst,Central Drugs Laboratory, Kolkata (Enclosed as Annex -)	Ciprofloxacin Hydrochloride Tablets I.p.500 mg. Batch No : 5583081 Mfg date : 01/2016 Exp. Date :12/2018	M/s Bengal Chemicals & Pharmaceuticals Ltd.,164, Maniktala Main Road, Kolkata- 700054	The sample is not of standard quality for the reason stated under the test for "Dissolution"
2.	CDTL/FORM-18/11/375/16-17 dated 19.05.2015 issued by Govt.Analyst,CDTL ,Chennai (Enclosed as Annex-11)	PANTOP 40 Tablets (Pantoprazole Tablets IP)  Batch No : PALT-1012 Mfg. dated : 07/2016 Exp. Date : 06/2018	M/s. Wings Pharmaceuticals Pvt.Ltd., 43 & 44, HPSIDC, Industrial Area- 173205,H.P	The sample received does not conform to IP standards with respect to test for Dissolution.

## 2. No . EZ/6-12/SUB-STD-GENERAL/2016/.3592

Date 30 MAY 2017

Sl. No.	Test report reg. number	Name of the product Batch No.D/M: & D/E:	Manufacture,s name	Reason for declaring 'Not of standard Quality'
1.	LSD/RDTL/1343/16-17 dated 19.05.2017 issued by Govt Analyst, RDTL . Chandigarh (copy overleaf)	DOM P DONE TABLETS (Domperidone Tablets IP 10 mg)	M/s celebrity Biopharma Ltd.,village- panga, viajharmajri,Hill top Estate, Barotiwala, Dist-solan (H.P.) 174103	The sample does not conform to claim as per IP 2014 Add .2015 in respect to the identification A.

## 3. No . EZ/6-12/SUB-STD-GENERAL/2017/.5094

Date 30 MAY 2017

Sl. No.	Test report reg. number	Name of the product Batch No.D/M: & D/E:	Manufacture,s name	Reason for declaring 'Not of standard Quality'
1.	32-18/2017-SS /DCA(C)-21/1115 dated 19.06.2017 issued by Govt.Analyst,Central Drugs Laboratory, Kolkata (Enclosed as Annex -)	Forcecef 1gm(ceftriaxone injection IP.) Batch No : 10116054 Mfg date : 07/2016 Exp. Date :06/2018	M/s Zeiss Pharmaceuticals pvt Ltd.,EPIP,Phase-1 jharmajri,Distt, solan,Himachal pradesh	The sample is not of standard quality for reason stated under the test for particulate matter.
2.	LSD/RDTL/0229/17-18 dated 27.06.2017 issued by Govt.Analyst,RDTL ,CHANDIGARH (copy as Annex-11)	AmlodipineTablets IP (LOPIN-5 Tablets)  Batch No : MNT-152913 Mfg. dated : Mar./2016 Exp. Date : Feb/2018	M/s. Terrace Pharmaceuticals (P).Ltd., 3-B (a),Phase-111, Industrial Area sansarpur	The sample does not conform to claim as per IP 2014 Addendum 2016 in respect to test to the related substances.

			terrace-176501	
--	--	--	----------------	--

4. No . EZ/6-12/SUB-STD-GENERAL/2017/.5080

Date 30 MAY 2017

Sl. No.	Test report reg. number & issued by	Name of the product Batch No.D/M: & D/E:	Manufacture,s name	Reason for declaring 'Not of standard Quality'
1.	LSD/RDTL/0210/17-18 dated 30.06.2017 issued by Govt.Analyst,RDTL ,CHANDIGARH (copy as overleaf)	Germicide Gargle providone iodine 1% Batch No : EPM6001AL Mfg date : June./2016 Exp. Date :Nov./2017	M/s Hindustan Laboratories, Plot No.5-9, survey No.38/2,Aliyali, palghar – 401404 (M.S.) india	The sample does not conform to claim as per patent & proprietary in respect to the Assay of povidone iodine calculated as available iodine

5. No . EZ/6-12/SUB-STD-GENERAL/2017/.4963

Date 17 JUL 2017

Sl. No.	Name of the product Batch No.D/M: & D/E:	Manufacture,s name	Reason for declaring 'Not of standard Quality'
1.	T-LET-80 (Telmisartan Tablets I.P 80mg)  Batch No : SET601 D/M : 05/2016: D/E : 04/2018	M/s Caplet india Pvt.ltd., 284/1, Bangur Avenue Block-B, Kolkata-700055, works :Rekjuani, Kolkata-700135	The sample does not comform to I.P. with respect to *Dissolution*

6. No . EZ/6-12/SUB-STD-GENERAL/2017/.5001

Date 30 MAY 2017

Sl. No.	Name of the product Batch No.D/M: & D/E:	Manufacture,s name	Reason for declaring 'Not of standard Quality'
1.	Azithromycin Dispersible Tablets IP 250 mg  Batch No : 3146001 : D/M : 04/2016 : D/E : 03/2018	M/s innova cap. Tab 81-B, EPIP Phase -1, Jharmajri, Baddi, (H.P)	The sample does not conform to IP with respect to Assay to Azithromycin.

7. No . EZ/6-12/SUB-STD-GENERAL/2017/.5056

Date 18 JULY 2017

Sl. No.	Name of the product Batch No.D/M: & D/E:	Manufacture,s name	Reason for declaring 'Not of standard Quality'
1.	Cef – Vepan 500 (cefuroxime Axetil Tablets I.P. 500 mg)  Batch No : CAY4A6K D/M : 01/2016: D/E : 12/2017	M/s Indoco Remedies Ltd.,H-23/1/6,M.I.D.C. Waluj., Aurangabad-431136	The sample is not of standard quality for the reason stated under the testd under the test for *Dissolution*

## 8. No . EZ/6-12/SUB-STD-GENERAL/2017/.5157

Date 19 JULY 2017

Sl. No.	Test report number & Issued by	Name of the product Batch No.D/M: & D/E:	Manufacture,s name	Reason for declaring 'Not of standard Quality'
1.	LSD/RDTL/0292/17-18 dated 05.07.2017 issued by Govt Analyst, RDTL . Chandigarh (copy overleaf)	CEFPOD-100 suspension (cefprozil oral suspension) B.No FCFS-005 D/M: Dec./2015 D/E : Nov./ 2017	M/s .Laborate Pharmaceutical INDIA Ltd.,Unit-2 #31,Rajban Road,Nariwala, Paonta Sahib (HP)	The sample does not conform to claim as per IP 2014 Add.2015 in respect of Assay of Cefprozil Proxetil calculated as Cefprozil, stability (after 4 days ) Cefprozil Proxetil calculated as Cefprozil

## 9. No . EZ/6-12/SUB-STD-GENERAL/2017/.5171

Date 19 JULY 2017

Sl. No.	Test report number & Issued by	Name of the product Batch No.D/M: & D/E:	Manufacture,s name	Reason for declaring 'Not of standard Quality'
1.	Test report no CDTL-M/FORM-18/2016-17/410 dated 05.07.2017 issued by Govt.Analyst,CDTL, Mumbai (copy enclosed as Annexure-1)	Fexinol-120(Fexofenadine Hydrochloride Tablets I.P) B.No CBT-400/16 D/M: 09/2016 D/E : 08/2018	M/s CB Healthcare vill.messa Tibba,Tehsil,Nalagarh, DIST,SOLAN 174101 (H.P)	The sample received does not conform to IP 2014 standard with respect to test for Dissolution.

## No . EZ/6-12/SUB-STD-GENERAL/2017/.5189

Date 20 JULY 2017

Sl. No.	Test report number & Issued by	Name of the product Batch No.D/M: & D/E:	Manufacture,s name	Reason for declaring 'Not of standard Quality'
1.	CDTL/SURVEY-0399-CHE/2017-18 dated 06.07.2017 ISSUED BY Director, CDTL, Chennai (copy overleaf)	Ranitidine-150 mg tablets (Ranitidine Hydrochloride Tablets I.P 150 mg) B.No :5170 D/M: June.2016 D/E : May.2018	M/s vikram laboratories (p) limited behind tubwell colony,meerut Road, Muzaffarnagar-251002 (u.p)	The sample does not conform to IP specification with respect to Description.

## No . EZ/6-12/SUB-STD-GENERAL/2017/.5266.

Date 21 JULY 2017

Sl. No.	Test report reg. number	Name of the product Batch No.D/M: & D/E:	Manufacture,s name	Reason for declaring 'Not of standard Quality'
1.	32-1/2017-SS /DCA(N)-55/2008 dated 12.07.2017 issued by Govt.Analyst,Central Drugs Laboratory, Kolkata (COPY	Labetalol Hydrochloride injection I.P Batch No :LBIH5B2 M/D.08/2015.E/D.07 /2017	M/s United Biotech (P) Limited, Bagbania,Baddi Nalagarh Road,Disst.	The sample does not conform to I.P. with respect to "Description"and 'Particulate matter'

overleaf)		Solan (H.P)-174101	
-----------	--	--------------------	--

No . EZ/6-12/SUB-STD-ASSAM/2017/.5202.

Date 20JULY 2017

Sl. No.	Test report reg number	Name of the product Batch No.D/M: & D/E:	Manufacture,s name	Reason for declaring 'Not of standard Quality'
1.	12753/2016-2017 dated 08.03.2017 Issued by Govt. Analyst, Regional Drugs Testing Laboratory, Guwahati (copy enclosed as Annexure-1)	Doxylamine succinate Tablets  B.No TDXY-002 D/M: Nov/2015 D/E : Oct/2017	M/s Pharmaceutical india Pvt,Ltd., solan,Himachal Pradesh.	The sample does not conform to claim with respect to the test performed.
2.	12818/2016-17 17.03.2017 issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-11)	ACLOWAY-P Tablets  Batch No.T-160221 M/D: Jan/2016 D/E :Mar/2018	M/s Oscar Remedies, Johron Adjoining industrial Area,Kala-AMB,h.p. 173030	The sample does not conform to claim with respect to the test performed
3.	12709/2016-17 17.03.2017 issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-111)	Ferrous sulphate & Folic acid Tablets (large)  Batch No.GL5092 M/D: Feb/2016 D/E :Jan/2018	M/s Galpha Ltd.,83,84 industrial Area,Dewas Road,Nagziri,Ujjain (M.P)	The sample does not conform to claim with respect to the test performed The sample is found to be misbranded drugs as per 17 (b) under Drugs and cosmetic Act 1940,Rule 1945.
4.	12709/2016-17 03.03.2017 issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-IV)	Theo-Asthalin Tablets  Batch No.F350032 M/D: Mar/2015 D/E :Feb/2018	M/s Cipla Ltd.,No 45 Mangalam main Road, Villianur.puducherry, 605110.	The sample does not conform to claim with respect to the test performed.
5.	12889/2016-17 29.03.2017 issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-V)	Tramaford Tablets  Batch No.OT-60076 M/D: jun/2016 D/E :May/2019	M/s Oxford Pharma, Puhana Chowk,Roorkee Disst Haridwar Uttarakhan,247667	The sample does not conform to claim with respect to the test performed.

6.	13041/2017-18 nil issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-Vi)	P-500 Tablets  Batch No.PFT60595 M/D: Mar/2016 D/E :Oct/2019	M/s Twenty First century, Pharmaceuticals Pvt.Ltd.,SIDCO Estate,Chennai,600098	The sample does not conform to claim with respect to the test performed.
7.	13105/2017 15.03.2017 issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-Vii)	Diclofenac sodium Tablets  Batch No.TDC5-024 M/D: Nov/2015 D/E :Oct/2017	M/s Medipol Pharmaceuticals india Pvt.Ltd 1199/3 BHUD,Dist.SOLAN, H.P.	The sample does not conform to claim with respect to the test performed.
8.	13132/2017-18 19.05.2017 issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-Viii)	Paracetamol Tablets.  Batch No.190915 M/D: Sep/2015 D/E :Aug/2017	M/s Veejay Laboratories EPIP Zone,Amingaon, Guwahati,Assam	The sample does not conform to claim with respect to the test performed.
9.	13131/2017-18 19.05.2017 issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-IX)	Paracetamol Tablets.  Batch No.230915 M/D: Sep/2015 D/E :Aug/2017	M/s Veejay Laboratories EPIP Zone,Amingaon, Guwahati,Assam	The sample does not conform to claim with respect to the test performed.
10.	12821/2016-17 17.05.2017 issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-X)	Lomotin Tablets.  Batch No.TLM-1402 M/D: Feb /2015 D/E :Jan /2017	M/s Ridley Life Science Pvt.Ltd., D-1651,DSIDC INDL. COMPLEX,Narela, Delhi, 110040	The sample does not conform to claim with respect to the test performed.
11.	13070/2016-17 dated nil issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-XI)	Almefkem-500 Tablets  Batch No.TLM-1402 M/D: Feb/2015 D/E : Jan/2018	M/s Shivalik Remedies Pvt.Ltd., khasra No. 509/1-2 & 520,village-Bhagwanpur, Roorkee-Dheradun Road, Uttarankhar, 247667	The sample does not conform to claim with respect to the test performed.

12.	13038/2017-18 dated nil issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-XII)	P - 500 Tablets Batch No . PFT6190S M/D: Aug/2016 D/E : July/2019	M/s Twenty First Century Pharmaceuticals Pvt.Ltd.,SIDCO Estate,Chennai,600098	The sample does not conform to claim with respect to the test performed.
13.	13040/2017-18 dated nil issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-XIII)	P - 500 Tablets Batch No . PFT6154S M/D: Aug/2016 D/E : July/2019	M/s Twenty First Century Pharmaceuticals Pvt.Ltd.,SIDCO Estate,Chennai,600098	The sample does not conform to claim with respect to the test performed.
14.	12950/2016-17 dated 31.03.2017 issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-XIV)	Ferrous sulphate & Folic Acid Tablets (large) Batch No . GL5070 M/D: Feb/2016 D/E : Jan/2018	M/s Galpha Laboratories Limited,83,84 industrial Area,Dewas Road,Nagziri, Ujjain (M.P) 456010	The sample does not conform to claim with respect to the test performed. The sample is found to be misbranded drugs as per 17 (b) under Drugs and cosmetic Act 1940,Rule 1945.
15.	12885/2016-17 dated 28.03.2017 issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-XV)	Zinc sulphateTablets Batch No.ZSTO3-90 M/D: Aug/2015 D/E : July/2017	M/s Unicare India Ltd.,C-22,23,Sector-3, Noida,201301	The sample does not conform to claim with respect to the test performed.
16.	13030/2017-18 dated 28.03.2017 issued by Govt Analyst,Regional Drugs Testing Laboratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-XVI)	P - 500 Tablets Batch No . PFT6154S M/D: Aug/2016 D/E : July/2019	M/s Unicare India Ltd.,C-22,23,Sector-3, Noida,201301	The sample does not conform to claim with respect to the test performed. The sample fails in weight variation and Disintegration test
17.	12665/2016-17 dated 23.02 2017 issued by Govt Analyst,Regional Drugs Testing	Levocetirizine Dihydrochloride Tablets Batch No.ST15-1319	M/s Salud care (I) Pvt. Ltd., 435, Kishanpur, Roorkee,247661	The sample does not conform to claim with respect to the test performed.

	Labaratory,Guwahati (COPY ENCLOSED AS ANNEXTURE-XVII)	M/D: Aug/2015 D/E : July/2017		
--	---	----------------------------------	--	--

No.DC / Bulletin /2017/ 986  
All Drugs control Officers.  
Rajasthan State.

Date 16 .May. 2017

Sl. No.	Name of Drugs	B. No/ Exp.Date	Mfgd . by	Reason
1.	Ofloxacin Tablets I.P. (Oflofresh-200)	SL15027, JUL 17	M/s IBN Herbals (Aunit of Curetech Formula (P) (Ltd.) Khasra No.63, Vill. Juddi Kalan. Baddi, Distt. Solan (H.P)	The sample does not conform to claim with respect to the test performed.
2.	Handloom Rolled Bandage Loose Woven Uncompressed	416 D/M Jan-17 D/E 2 Years from Mfg Date	M/s Ajanta Surgical Industries, Kanth- 244501 (Moradabad) U.P.	The sample does not conform to claim with respect to Threads per dm (weft No. & warp No.).Weight per unit area, Fluorescence, Description as cloth is not good white and showing weaving defects such as double ends and cracks are presents.