

NO.B.17011/999/2021/DHS/DRUGS/91
GOVERNMENT OF MIZORAM
DIRECTORATE OF HEALTH SERVICES
(FOOD & DRUGS ADMINISTRATION WING)
MIZORAM : AIZAWL

Dated Aizawl, the 28 August, 2021

CIRCULAR
OXYGEN CONCENTRATOR CHUNGCHANGA
HRIATTUR PAWIMAWH

Covid-19 hri leng avangin Oxygen Concentrator kan hmang nasa ta hle a. Oxygen Concentrator chi hrang a tam avangin eng ang nge hman tur tih mipuiten kan hriat theih nan Oxygen Concentrator chungchanga hriattur pawimawh hetiang hian siam a ni :-

1. Oxygen Concentrator chu electric current hmang Oxygen siamna leh inpekna khawl a ni a. He khawl hian inchhung boruak pangngai hip khawmin a tithianglim a. Boruak pangngaia Oxygen 21% emaw chauh awm chu 90% leh a chunglamah a siam a, khum bulah hungin awlsam taka Oxygen damlo hnena pek theihna a ni.
2. Oxygen Concentrator Company hrang hrang siamte hi Oxygen an pekchhuah (flow capacity) a inang vek lo va, minute khata litre 1 - 10 inkar an ni tlangpui.
3. Health Ministry-in Covid-19 kaihhnawiha Oxygen Concentrator hman tur a recommend chu minute khata Oxygen litre 5 chin chunglam pe thei leh Oxygen concentration 90% chin chung lam siam theite an ni. Hei hi WHO pawhin hman tura a pawm chin a ni.
4. Oxygen Concentrator In lama hman tura kan lei dawnin fimkhur a tha a. A khawlin a ken tel lehkha leh a khawl panga thuziakte ngun taka chhiar tur a ni. Hengte hi hriat ni se :-
 - i) Oxygen a pekchhuah chu concentration 90% chin tal a ni em?
 - ii) Oxygen a pekchhuah chu a tlem berah 5 litre per minute tal a ni em?
 - iii) Oxygen concentration zat hriat theihna monitor a awm em?
 - iv) Khawl hman tan atanga hman rei zawng tehna hmanrua a awm em?
5. Minute khata Oxygen litre 5 pechhuak thei si lo khawl, hman tlak tak ni awma "for home based Covid care" tih ziak awm thin hi inbumna mai a ni.


6. Oxygen Concentrator kan lei dawnin heng hi hriat tel tur a ni :-
- i) A khawl-a hman zui zel ngai consumables (filter, nasal canula, tubing, mask, sterile water, etc) te hi mamawh zel tur a nih avangin ngaihtuah tel nghal a tha.
 - ii) A khawl hman dan tur inziahna thuziak a awm em?
 - iii) A khawl enkawl dan leh consumables thlak dan kaihhruaina thuziak a awm em?
7. Oxygen Concentrator siamtu chuan hengte hi a khawl pangah a bel/tarlang tur a ni :-
- i) Minute khata Oxygen a pek chhuah theih litre zat
 - ii) Oxygen a siam chhuah theih concentration zat.
 - iii) Maximum Retail Price.

Sd/- LALSAWMA
Jt. Director (F&D),
Controlling & Licensing Authority,
Directorate of Health Services,
Mizoram: Aizawl

Memo. NO.B.17011/999/2021/DHS/DRUGS/91 Dated Aizawl, the ____ August, 2021

Copy to :

1. PPS to Secretary, H&FW, Govt. of Mizoram
2. PA to Principal Director, H&FW
3. All Asst. Directors (F&D)/DI/ADI _____ for information & necessary action
4. Secretary, MCDA, T.S Drugs Store, Hospital Road, Dawrpui for information
5. All drug dealers, Mizoram for information
6. Guard File.


Jt. Director (F&D),
Controlling & Licensing Authority,
Directorate of Health Services,
Mizoram: Aizawl.