

No.D.11011/25/2021-DHS/PRO/COVID-19/180
GOVERNMENT OF MIZORAM
DIRECTORATE OF HEALTH SERVICES

Dated Aizawl, the 14th September, 2021

TENDER NOTICE

Sealed Tenders are hereby invited from reputed and bonafide Manufacturers or their authorized distributors, dealers, stockist or agents for "Rate Contract of :


1. Medicines
2. Equipments, Instruments and Surgical Items

The Tender will be received by the Director of Health Services, Dinthar, Aizawl on or before 7th October, 2021 (Thursday) upto 12:00 noon under the Terms and Conditions which may be obtained from **Procurement Section, Directorate of Health Services**, Mizoram, Aizawl on all working days or maybe downloaded from the Department website health.mizoram.gov.in. Quotations are to be opened by Director of Health Services or his authorized representatives at 01:00 pm on the same day.

Sd/-
(Dr. H. LALCHUNGUNGA)
Director of Health Services
Mizoram : Aizawl

Memo No. D.11011/25/2021-DHS/PRO/COVID-19/180 Dated Aizawl, the 14th September, 2021
Copy to :-

1. P.S to Minister, H&FW Deptt., for favour of information.
2. P.A. to Vice Chairman, Health & Family Welfare Board for information.
3. PPS to Secretary, Health & Family Welfare Deptt., Govt. of Mizoram.
4. P.S to Secretary, ICT for information and necessary action. The Open Tender Notice may kindly be uploaded in the State Public Procurement Portal.
5. The Under Secretary to the Govt. of Mizoram, Health & F.W Deptt.
6. The SMEMO, Directorate of Health Services for circulation in daily newspapers for at least 2 consecutive days.
7. Website Manager, Directorate of Health Services with a request to publish in Department Website (health.mizoram.gov.in)
8. Guard file.


Director of Health Services
Mizoram : Aizawl

TERMS & CONDITIONS FOR RATE CONTRACT OF COVID-19
COMBATING ITEMS UNDER DIRECTORATE OF HEALTH SERVICES

1. The cover of the tenders should be superscribed and addressed as –

“Sealed Tender for Rate Contract of

1. Medicines

2. Equipments, Instruments and Surgical Items

THE DIRECTOR OF HEALTH SERVICES

MIZORAM : AIZAWL.

2. Tenders submitted by Authorized dealers should attach certificate of Authorization or Distributorship or Dealership as the case may be from the concerned Manufacturers duly attested by a Gazetted Officer. Original Certificate should be produced at the time of opening, if demanded.
3. Page index should be maintained at the front page of the tender documents. Every page should be numbered. Corrections, if any, shall be initialed, stamped and dated. Handwritten documents will not be entertained.
4. Tenders should be submitted in the prescribed form only in both **hard and soft copy (MS Word Format)**. Prescribed form may be collected by payment of Rs.500/- from Procurement Section, Directorate of Health Services.
5. Tender should be accompanied by ***Bid Security 2% of the quoted amount*** in the form of Account Payee Demand Draft / Fixed Deposit Receipt / Banker’s Cheque or Bank Guarantee from any of the Commercial Banks which should remain valid for at least 45 days duly pledged in favor of Director of Health Services, Mizoram ***duly signed and stamped by the tenderer at the back side of the draft/ deposit.***
6. The tenderer should submit photo copy of Valid General Drug License and ISO/ISI and GMP certificate duly attested by a Gazetted Officer. Manufacturers submitting their tenders directly should attach photostat copies of their Manufacturing Licence, CIN (Corporate Identity Number) and other relevant permissions/licences required for such manufacturing, duly attested by a Gazette Officer.

7. Tenderer must furnish detail specifications of the materials quoted. **They must also submit relevant Sample/Brochure/ Catalogue as per requirement in the Annexure I, II and III in support of the quoted items.** The samples submitted for each items as demanded in the prescribed format for Quoting of Rates, each firm should label the name of firm on each sample and Sl. No. as indicate in the prescribed format only. Warranty period should be mentioned clearly and availability of After-Sale-Services facilities during warranty period and AMC offered in detail.
8. Transportation plan during lockdown period and the expected requirement of days for delivery should be clearly mentioned.
9. Tenderer should quote their rates F.O.R Destination i.e **Central Medical Store, Zemabawk, Aizawl and other Health Centres throughout Mizoram as may be mentioned in the Supply Order.**
10. *Quoted rates in terms of Indian Rupees will be considered inclusive of **Goods and Services Tax (GST) as well as transportation charges.*** If there are more than one brand, the separate rates for such brands with specific details shall also be mentioned.
11. Tender must be accompanied by the following documents –
 - a) Photo copy of **GST Registration Certificate** duly attested by a Gazetted Officer. Original certificates should be produced at the time of opening of the tenders/quotations, if demanded.
 - b) Photo copy of **Scheduled Tribe Certificate** duly attested by a Gazetted Officer (for Tribal Tenderer). Original certificates should be produced at the time of opening of the tenders/quotations, if demanded.
12. The undersigned shall not be bound to accept the lowest rate or any of the tenders and reserves the right to accept or reject any tenders without assigning any reasons thereof.
13. Late/delayed tenders will not be entertained. **Certificates other than those stated in the above clauses should not be attached.** Any other/further clarifications in connection with submission of the tender may be made from the office of Director of Health Services, Mizoram during office hours on all working days.
14. Firms or individuals who attempt to negotiate/campaign, direct or indirect, on the part of tender with the authority to whom he has submitted the Tender or the authority who is competent to accept, shall be excluded from consideration, if proved.

15. Once the rate is accepted and communicated to the selected firm, the same will remain valid during the validity period of the agreement with the approved supplier. **No price escalation will be permissible during the validity period, which is normally for a period of 12 months and is extendable, if mutually agreed upon by both the parties;** i.e. Director of Health Services and concerned approved supplier, subject to recommendation of the State Purchase Advisory Board or the Departmental Purchase Advisory Board, as the case may be.
16. The selected firm will have to supply the materials within the period fixed by the Department/Authority. If the supply cannot be made within the stipulated period without any intimation, the Department has the right to cancel the supply Order.
17. The selected firm should furnish Security Deposit of 5% of the total value of the supply before issue of supply order in the form of Account Payee Demand Draft / Fixed Deposit Receipt or Bank Guarantee from any of the Commercial Bank's which should remain valid for a period of at least 60 days beyond the date of completion of all contractual obligations of the suppliers, pledged in favor of Director of Health Services, Govt. of Mizoram ***duly signed and stamped by the tenderer at the back side of the draft/deposit.***
18. The selected firm should execute an appropriate Deeds of Agreement within 5 days from the date of issue of acceptance of their quoted rates failing which their quoted rate will be treated as invalid.
19. All payments will be made only after the materials are received in full and in good condition and after completion of supply.
20. In case of any legal disputes/litigations arising out of this Tender Notice or its items, the Courts of Law at Aizawl only shall have jurisdiction to adjudicate the same.

Sd/-
(Dr. H. LALCHUNGNUNGA)
Director of Health Services
Mizoram : Aizawl

TENDER ANNEXURE - I : MEDICINES

Sl. No.	Name of Items	Specifications	Requirement	Brand	Rate
1	Tab. Pheniramine Maleate	25mg	Sample		
2	Tab. Diclofenac & Paracetamol	50mg + 325 mg	Sample		
3	Tab. Ibuprofen & Paracetamol	400 + 325 mg	Sample		
4	Tab. Ceterizine Hydrochloride	10 mg	Sample		
5	Tab. Ofloxacin & Ordinazole	200 mg + 500 mg	Sample		
6	Tab.Ciprofloxacin	500 mg	Sample		
7	Tab. Telmisartan	20 mg	Sample		
8	Tab. Telmisartan	40 mg	Sample		
9	Tab. Pantoprazole DSR	40 + 30 mg	Sample		
10	Cap. Amoxicillin & Potassium Clavulanțe	500 + 125 mg	Sample		
11	Tab. Fluconazole	150 mg	Sample		
12	Tab. Albendazole	400 mg	Sample		
13	Tab. Cefixime	200 mg	Sample		
14	Cap. Doxycycline	100 mg	Sample		
15	Cap. Multi-Vitamin		Sample		
16	Cap. Vit-B Complex		Sample		
17	Oral Rehydration Salt (ORS)	WHO Recommendation	Sample		
18	Oint Povidone Iodine	20 gm 5% w/v	Sample		

19	Silversulphadiazine Cream	15 gm	Sample		
20	Lignocain HCL Gel	30 gm	Sample		
21	Syr. Paracetamol	250 mg 60ml	Sample		
22	Syr. Cotrimoxazole	40 + 200mg/5ml	Sample		
23	Syr. Amoxicillin	125mg/5ml	Sample		
24	Syr. Montelukast + Levocetirizine	30ml	Sample		
25	Inj. Dexamethasone	4mg	Sample		
26	Inj. Pheniramine Maleate	2 ml/ Avil	Sample		
27	Inj. Diclofenac Sodium	3ml	Sample		
28	Inj. Pentazocine Lactate	30mg/ml	Sample		
29	Inj. Promethazine Hydrochloride	25mg	Sample		
30	Inj. Vitamin K	1mg (Phytonadione)	Sample		
31	Inj. Dicyclomine Hydrochloride	10mg/ml	Sample		
32	Inj. Lignocaine	2%	Sample		
33	Inj. Etofilline + Theophylline	84.7mg + 25.3mg/ml	Sample		
34	Inj. Diazepam	10mg/2ml	Sample		
35	Inj. Tramadol Hydrochloride	50mg	Sample		
36	Inj. Metronidazole	500mg/100ml	Sample		
37	Inj. Dextrose	25%/100ml	Sample		
38	Inj. Mannitol	20% w/v 100ml	Sample		

39	Inj. Dextrose	5% 500ml	Sample		
40	Inj. Dextrose	10% 500ml	Sample		
41	Inj. Ringer Lactate	500ml	Sample		
42	Inj. Normal Saline	500ml	Sample		
43	Inj. Dextrose Normal Saline (DNS)	500ml	Sample		
44	Soln. Povidine Iodine	10% 500ml	Sample		
45	Phenol 450ml.	Should contain :ortho – phenylphenol/parachlorophenol	Sample		
46	Glutaraldehyde Solution	2.45 % w/v, 5 Lits. Jar, Powder Activator attached	Sample		
47	Liq. Formaldehyde	500ml	Sample		
48	Liq. Hydrogren Peroxide Solution 3%	500ml	Sample		
49	Liq. Dettol	500ml Chlorhexidine Gluconate Solution 0.3% v/v Cetrimide 0.6% w/v	Sample		
50	Rectified Spirit	450ml, Containing 95.01% v/v Alcohol	Sample		
51	Susp. Antacid (Magaldrate + Simethicone)	170ml	Sample		

TENDER ANNEXURE - II : EQUIPMENTS, INSTRUMENTS AND SURGICAL ITEMS

Sl. No.	Name of Items	Specifications	Requirement	Brand	Rate
1	Oxygen Cylinder	B-Type	Brochure/Catalogue		
2	Blood Bank Refrigerator	Gross volume 297 L Temperature Range +2°C to +8°C	Brochure/Catalogue		
3	Body Bag	Weight carrying capacity-120 kg Waterproof Material Material GSM -120 GSM Material type - CC fabric with plastic coating Certification -ISO ,CE &GMP	Brochure/Catalogue		
4	Labour Bed	The bed should have *Adjustable head back rest on ratchet *Provided with primal 'U' cut *Provision of leg holding lithotomy rods	Brochure/Catalogue		
5	Ordinary Bed	Approximately 6x3 ft. Head bow 3ft 6 inch, foot bow 2ft, 8ich. Frame of 1 1/2 x 2/11x1/8 inch angle finished on all four sides, with a widthwise - stiffening chanel in the middle. Manually adjustable back rest and legs fitted with rubber shoes.Steel plate corner joints, oven baked finished in white or cream colour. It should be ISI/ISO.	Brochure/Catalogue		
6	X-Ray Films	8x10	Brochure/Catalogue		
		10x12	Brochure/Catalogue		
		12x15	Brochure/Catalogue		
7	X-Ray Developer	13.5 litres	Brochure/Catalogue		
8	X-Ray Fixer	13.5 lires	Brochure/Catalogue		

9	Transcutaneous bilirubinometer	<ol style="list-style-type: none"> 1. Measuring method should measure the optical density difference at two wavelengths to determine the yellowness of the subcutaneous tissue. 2. The instrument should be suitable for non-invasive bilirubin measurement of neonates with gestational age 27 – 42 weeks and 1 month post-natal age; body weight 900 grams to 4000 grams. 3. Measurement range: 0.0mg/dL to 20mg/dL or 0 μmol/L to 340μmol/L 4. Error of estimate (SEE): ± 1.5mg/dL or ± 25.5μmol/L 5. It should measure readings at sternum and forehead. 6. Should have alarms when measurements are greater than 20mg/dl or 340μmol/L 7. Can be used in all skin colors, >35 weeks gestational age, prephototherapy. 8. Light source should be Pulse xenon arc lamp 9. Light source should have life of more than 10000 measurements. 10. Light source checker should be built in to the charger base. 11. Should have detectors with Silicon photodiodes. 12. Should have Ni-MH battery as power source. 13. Protection type and level Internally-powered instrument, BF type 14. It should measure at least 400 single measurements when fully charged. 15. It should have operating temperature range from 100 C to 400 C 16. It should be light weight; less than 250 g. 17. It should be supplied with: Charger unit with a checker, AC adapter, Carrying case and wrist strap, Power cable adapter set. 	Brochure/Cat alogue/ Sample		
10	N-95 Mask	Medical mask, good breathability, 98% droplet filtration, preferably fluid resistance.	Sample		
11	Micropore Plaster	25mm x 9m roll	Sample		
12	Cotton Wool	500mg	Sample		
13	Gauze Than	18m x 90cm	Sample		
14	I.V Cannula	22G	Sample		
15	I.V Cannula	24G	Sample		
16	Sterile Gloves No. 6	* Pre Powder Micro Rough texture * Natural Rubber Latex and with Non- Toxic chemicals	Sample		
17	Sterile Gloves No. 6 1/2		Sample		
18	Sterile Gloves No. 7		Sample		
19	Sterile Gloves No. 7 1/2		Sample		

20	Rolled Bandage 5 cm	100% Cotton	Sample		
21	Rolled Bandage 7.5 cm	100% Cotton	Sample		
22	Rolled Bandage 10 cm		Sample		
23	Rolled Bandage 15 cm		Sample		
24	Disposable Syringe	2 ml	Sample		
25	Disposable Syringe	5 ml	Sample		
26	Disposable Syringe	10 ml	Sample		
27	I.V Set	Non-Vented	Sample		
28	Crepe Bandage	10 cm X 4 mtrs (Stretched length)	Sample		
29	Adhesive Plaster	2.5 cm (Zinc Oxide)	Sample		
30	Adhesive Plaster	7.5 cm (Zinc Oxide)	Sample		
31	Urine Bag	* Capacity 2000 ml * Sterile EO * Graduated with non return valve	Sample		
32	Plaster of Paris	7.5 cm	Sample		
33	Pillow Cover	70 cm X 50 cm	Sample		
34	Hot Water Bag	* Capacity: 2 Ltr. * Both Side Ribbed * Should be high-quality rubber material and can resist the hot water pressure. * Easy to clean and keeps the water hot for a long time and must be guaranteed leak-proof.	Sample		
35	Card Box	24"X19"X17" 6 Ply	Sample		
36	Card Box	20"X14"X12" 6 Ply	Sample		
37	Card Box	14"X12"X10" 6 Ply	Sample		
38	Cutgut Chromic 1-0	40mm Neddle 1/2 Circle Round Bodied	Sample		
39	Cutgut Chromic 2-0	30mm Neddle 1/2 Circle Round Bodied	Sample		

40	Cutgut Chromic 3-0	1/2 Circle Round Bodied	Sample		
41	Black Braided Silk 3-0	26mm Needle 3/8 Circle Reversed cutting	Sample		
42	Black Braided Silk 2-0	45-50mm Needle 3/8 Circle Reversed cutting	Sample		
43	Black Braided Silk 3-0	20mm Needle 1/2 Circle Round Bodied	Sample		
44	Allies Tissue Forcep	8 inch	Sample		
45	Artery Forcep	5.5 inch	Sample		
46	Cheatle Forcep	11 inch	Sample		
47	Kelley's Douch Pad	<ul style="list-style-type: none"> • Made of good quality rubber • Pad is washable and sterilizable • For hospital use, especially for obstetrical • Horseshoe-shaped inflatable rubber drainage pad 	Sample		
48	Bakri Balloon		Sample		
49	Bed Nets				