



FORM 13  
 (See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER  
 SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

1. Name of Inspector from whom received : MR.R.VANLALRUATA  
 ASSISTANT DIRECTOR (F & D)  
 OFFICE OF CHIEF MEDICAL OFFICER,  
 AIZAWL, MIZORAM, PIN-796017.
2. Serial No. and date of Inspector's memorandum : MZ/24/A 'E'/04 Date 15/10/24
3. Number of Sample : Nil
4. Date of receipt : 01-NOV-2024
5. Names of drugs purporting to be contained in the sample : Fluconazole Tablets IP (Canzole-150)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024-25/1286	GUW/LS/2024-25/1314	T-2589	Dec-2023	Nov-2025	Jackson Laboratories Pvt.Ltd. 22-24, Majitha Road, Bye Pass, Amritsar-143 001(India)

6. Condition of seals on : Seals were intact & identical to the specimen impression of the seal received from Drugs Inspector  
 [the packet or on portion of sample or container]

7. Result of test or analysis with protocols or test or analysis applied : Please see below

Date of Testing : From 26-Nov-2024 To 27-Nov-2024

COMPOSITION : Each uncoated tablet contains:  
 Fluconazole IP 150 mg.

**Protocol Applied: I.P. 2022**

Sr No.	Test Name	Result	Limits
1	Description	White, circular, flat, scored on one side, uncoated tablet and engraved 'JACKSON' on the other side, packed in amber colour blister pack.	NA
2	Identification	Gives positive test for Fluconazole.	NA
3	Average weight	0.4129 gm.	NA
4	Uniformity of weight	Complies.	NA
5	Dissolution	Complies (Release of all six units found above 'Q' 80+5%).	NLT 80 % of Claim

**Assay**

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method

1	Fluconazole	156.295 mg/Tablet	150 mg/Tablet	104.196	90 % to 110 %	I.P. 2022
---	-------------	-------------------	---------------	---------	---------------	-----------

In the opinion of the undersigned the sample referred to above **is of standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules thereunder for the reasons given below:-

**The sample conforms to I.P. with respect to the above tests only.**

Date: 29-NOV-2024



**GOVERNMENT ANALYST**

**Dilip Kr. Sarkar**  
**Government Analyst**  
**R.D.T.L., Guwahati-22**

.....END OF REPORT.....

