

FORM 13
 (See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER
 SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

- Name of Inspector from whom received : Mrs. C. Ramdinmawii
Assistant Director (Food & Drugs)
C.M.O. Office, Champhai-796321
Mizoram.
- Serial No. and date of Inspector's memorandum : 376/24 Date: 04/10/2024
- Number of Sample : Nil
- Date of receipt : 23-OCT-2024
- Names of drugs purporting to be contained in the sample : Cyproheptadine HCl Syrup I.P. (Hungree);200ml

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024-25/1272	GUW/LS/2024-25/1298	OHNL-018	02/2024	01/2026	LABORATE PHARMACEUTICALS INDIA LTD. (Unit- II) #31,Rajban Road, Nariwala, Paonta Sahib (H.P.)

6. Condition of seals on : Seals were intact & identical to the
 [the packet or on portion of sample or container] specimen impression of the seal received
 from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied : Please see below

Date of Testing : From 07-Nov-2024 To 20-Nov-2024

COMPOSITION : Each 5 ml contains:
 Cyproheptadine HCl IP
 eq. to anhydrous
 Cyproheptadine HCl 2 mg

Protocol Applied : I.P. 2022

Sr No.	Test Name	Result	Limits
1	Description	Yellow colour liquid in yellow colour transparent plastic bottle in paper box.	NA
2	Identification	Gives positive test for Cyproheptadine Hydrochloride.	NA
3	Weight per ml	1.1497 g/ml.	NA
4	pH	Complies (Found: 4.15).	3.5 to 4.5.

Assay


Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method
1	Cyproheptadine Hydrochloride	2.14 mg/5ml	2 mg/5ml	107	90 % to 110 %	I.P. 2022

In the opinion of the undersigned the sample referred to above is of standard quality as defined in the Drugs and Cosmetics Act, 1940, and Rules there under for the reasons given below:-

The sample conforms to I.P. with respect to the above tests only.

Note. : As per the sample label the Batch No of the sample is OHNL-018 whereas in the Form -18 it is stated as OHNL-018.

Date: 28-NOV-2024


GOVERNMENT ANALYST

Dilip Kr. Sarkar
Government Analyst
R.D.T.L., Guwahati-22

----- END OF REPORT -----

