



FORM 13
(See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

1. Name of Inspector from whom received : Lalruatadika Varte
 Drugs Inspector
 Office of the Senior Chief Medical Officer
 Kolasib, Mizoram- 796082
2. Serial No. and date of Inspector's memorandum :KLB/01/2024/DRUGS
 Dated Kolasib, the 20th September, 2024
3. Number of Sample :Nil
4. Date of receipt :16-OCT-2024
5. Names of drugs purporting to be contained in the sample: METRONIDAZOLE TABLETS IP 400mg (Metrol-400)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg	Date of Exp.	Mfg. By
LSD/GUW/2024-25/1477	GUW/LS/2024-25/1501	ME-923	8/23	7/25	High Tech Pharma Plot No. 49,Khandelwal compound, Nemwar road, Palda, Dist. Indore MP

6. Condition of seals on : Seals were intact & identical to the
 [the packet or on portion of sample or container] Specimen impression of the seal received from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied :Please see below

Date of Testing : From 26-Nov-2024To 07-Jan-2025

COMPOSITION : Each coated tablet contains:
 Metronidazole I.P. 400 mg

Protocol Applied : I.P.2022

Sr No.	Test Name	Result	Limits
1	Description	Pink colour, round, bi-convex, film coated tablet, plain on both sides, packed in blister pack.	NA
2	Identification	Gives positive test for Metronidazole.	NA
3	Average weight	0.6176 gm.	NA
4	Uniformity of weight	Complies	NA
5	Dissolution	Complies (Release of all six units are found above 'Q' 85+5%).	NLT 85 % of Claim

Assay


Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method

1	Metronidazole	406.82 mg/Tablet	400 mg/Tablet	101.705	95 % to 105 %	I.P. 2022
---	---------------	------------------	---------------	---------	---------------	-----------

In the opinion of the under signed the sample referred to above is of **standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules thereunder for the reasons given below:-

The sample conforms to I.P. with respect to the above tests only.

Date: 08-JAN-2025


GOVERNMENT ANALYST

Dilip Kr. Sarkar
Government Analyst
R.D.T.L., Guwahati-22

----- END OF REPORT -----

