



FORM 13
 (See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER
 SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

- Name of Inspector from whom received : K. Lalngilneia
 Asst. Director (F & D)
 CMO Office, Mamit District: Mamit
 Pin- 796441
- Serial No. and date of Inspector's memorandum :B.17011/12/09-CMO(M)/DRUGS/40 Date 9th Dec, 24
- Number of Sample :MD08/40
- Date of receipt :20-DEC-2024
- Names of drugs purporting to be contained in the sample: Frusemide Injection IP; (2ml)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024-25/1582	GUW/LS/2024-25/1599	I-3277	Feb. 2024	Jan. 2026	JACKSON LABORATORIES PVT. LTD. Majitha Road Bye Pass. Amritsar - 143001

- Condition of seals on [the packet or on portion of sample or container] : Seals were intact & identical to the Specimen impression of the seal received from Drugs Inspector

- Result of test or analysis with protocols or test or analysis applied : Please see below

Date of Testing : From 03-Jan-2025 To 23-Jan-2025

COMPOSITION : Each ml. contains:
 Frusemide I.P. 10 mg.

Protocol Applied : IP 2022

Sr No.	Test Name	Result	Limits
1	Description	Colorless solution in sealed amber colour glass ampoule with blue dot mark on the neck.	NA
2	Identification	Gives positive test for Frusemide.	NA
3	Sterility	Complies.	NA
4	Bacterial endotoxins	Complies.	NA
5	Particulate matter	Complies.	NA
6	Extractable volume	Complies.	NA
7	pH	Complies (Found: 9.13).	8.0 to 9.3


Assay

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method
1	Frusemide	10.35 mg/ml	10 mg/ml	103.5	95% to 105 %	I.P. 2022

In the opinion of the under signed the sample referred to above is of **standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules thereunder for the reasons given below:-

The sample conforms to I.P. with respect to the above tests only.

Date: 29-JAN-2025


GOVERNMENT ANALYST
Dilip Kr. Sarkar
Government Analyst
R.D.T.L., Guwahati-22

----- END OF REPORT -----

