

FORM 13  
(See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER  
SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

- Name of Inspector from whom received : SARAH LALDINTLUANGI  
ASSISTANT DIRECTOR (FOOD & DRUGS)  
Sr. CMO OFFICE, SERCHHIP-796181,  
SERCHHIP
- Serial No. and date of Inspector's memorandum :003/IPA/2024 Date 25/11/2024
- Number of Sample :Nil
- Date of receipt :26-DEC-2024
- Names of drugs purporting to be contained in the sample: Cefixime Dispersible Tablets IP (Cefime O 200 Tablets)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024-25/1503	GUW/LS/2024-25/1527	SPT-36186	08/2023	07/2025	Shervotec Pharmaceuticals 82/4 & 82/5, HPSIDC Baddi. Distt. Solan (H.P.).

6. Condition of seals on : Seals were intact & identical to the  
[the packet or on portion of sample or container] Specimen impression of the seal  
received from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied :Please see below

Date of Testing : From 07-Jan-2025 To 10-Jan-2025

COMPOSITION : Each uncoated dispersible tablet contains:  
Cefixime Trihydrate IP  
Eq. to Cefixime (Anhydrous) 200 mg.

**Protocol Applied : I.P. 2022**

Sr No.	Test Name	Result	Limits
1	Description	Orange colour, round, bi-convex, uncoated dispersible tablet in aluminum blister pack.	NA
2	Identification	Gives positive test for Cefixime.	NA
3	Average weight	0.3004 gm.	NA
4	Uniformity of weight	Complies.	NA
5	Uniformity of dispersion	Complies.	NA
6	Disintegration	Complies (All six units disintegrated within 32 seconds).	NMT 3 minutes


**Assay**

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method
1	Cefixime Trihydrate Eq. to Anhydrous Cefixime	215.64 mg/Tablet	200 mg/Tablet	107.82	90 % to 110 %	I.P. 2022

In the opinion of the under signed the sample referred to above **is of standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules thereunder for the reasons given below:-

**The sample conforms to I.P. with respect to the above tests only.**

Date: 16-JAN-2025

  
GOVERNMENT ANALYST

**Dilip Kr. Sarkar**  
Government Analyst  
R.D.T.L., Guwahati-22

-----END OF REPORT-----

