

Regional Drugs Testing Laboratory

Directorate General of Health Services, Guwahati (India)- 781022 Fax: 0361-2338555/2330555 Phone No.0361 2338556

Email:rdtlguwahati@cdsco.nic.in

FORM 13

(See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

1. Name of Inspector from whom received

: Mrs. C. Ramdinmawii,

Assistant Director (Food & Drugs)

Testu

Govt of Incia

C.M.O. Office,

Champhai-796321 Mizoram

2. Serial No. and date of Inspector's memorandum

: 024/IPA-CPI/24 , Date: 16-DEC-2024

3. Number of Sample

Date of receipt

: 31-DEC-2024

Names of drugs purporting to be contained in the sample : Omeprazole Capsules IP (Omifrench 20)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024- 25/1611	GUW/LS/2024- 25/1623	CAF-24035	Jan-2024	Dec-2025	Prochem Pharmaceuticals (P) Ltd.,140-141, Makkanpur,
	<u> </u>			S. S.	Bhagwanpur, Roorkee, Dist. Haridwar (U.K.) 247661

6. Condition of seals on

[the packet or on portion of sample or container]

Seals were intact & identical to the Specimen impression of the seal received from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied :Please see below

Date of Testing: From 21-Jan-2025 To 29-Jan-2025

COMPOSITION

Each hard gelatin capsule contains:

Omeprazole IP 20 mg.

(As enteric coated pellets)

Protocol Applied: I.P. 2022

Sr No.	Test Name	Result	Limits NA	
1	Description	Bi-colour (white and pink), hard capsule containing off-white pellets in aluminium strip.		
2	Identification	Gives positive test for Omeprazole.		
3	Average filled content	0.2125 g	NA	
4	Dissolution	Passes the test for both Acid and Buffer Stage.	Acid Stage: NMT 10 % Buffer Stage: NL 70 %	

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method
1	Omeprazole	19.96 mg/Capsule	20.0 mg/Capsule	99.8	90 % to 110 %	I.P. 2022

In the opinion of the undersigned the sample referred to above **is of standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules there under for the reasons given below:-

END OF REPORT

The sample conforms to I.P. with respect to the above tests only.

Date: 29-JAN-2025

GOVERNMENT ANALYST Amar Jyoli Chamuah Government Analyst R.D.T.L., Guwahati-22

Page 2 of 2