

Regional Drugs Testing Laboratory Directorate General of Health Services, Guwahati (India)-781022 Fax: 0361-2338555/2330555 Phone No.0361 2338555 Email: rdtlguwahati@cdsco.nic.in



FORM 13

(See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

1. Name of Inspector from whom received

: SARAH LALDINTLUANGI

ASSISTANT DIRECTOR (FOOD AND DRUGS)

Sr. CMO OFFICE, SERCHHIP-796181,

SERCHHIP.

2. Serial No. and date of Inspector's memorandum

: 026/IPA/2025

Date 13.1. 2025

3. Number of Sample

:Nil

4. Date of receipt

:24-JAN-2025

5. Names of drugs purporting to be contained in the sample: Folic Acid Tablets IP 5mg. (Folly)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024- 25/1718	GUW/LS/2024- 25/1742	GCH1032	JUL.2023	JUN.2025	Cotec Healthcare Pvt. Ltd. (Unit-III) Kh.No. 596/1, Roorkee- Dehradun
	4)			Highway, Kishanpur, Roorkee-
	-34	4			247667. (U.K.)

6. Condition of seals on

[the packet or on portion of sample or container]

Seals were intact & identical to the Specimen impression of the seal received from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied .: Please see below

Date of Testing: From 04-Feb-2025 To 18-Feb-2025

COMPOSITION

Each uncoated tablet contains:

Folic Acid IP 5 mg.

Protocol Applied: I.P. 2022

Sr No.	Test Name	Result	Limits	
1 Description		Orange colour, circular, flat, scored on one side, uncoated tablet, packed in blister pack.		
2	Identification	on Gives positive test for Folic Acid.		
3	Average weight	0.1237 gm.	NA	
4	Dissolution	Complies (Release of all six units are found above 'Q' 75+5%).	NLT 75 % o claim	

Assay

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method

1	Folic Acid	5.67 mg/Tablet	5 mg/Tablet	113.4	90 % to 115 %	I.P. 2022
ilmi -						

In the opinion of the under signed the sample referred to above is of standard quality as defined in the Drugs and Cosmetics Act, 1940, and Rules thereunder for the reasons given below:-

The sample conforms to I.P. with respect to the above tests only.

Date: 20-FEB-2025

GOVERNMENT ANALYST

Dilip Kr. Sarkar

Government Analyst

R.D.T.L., Guwahati-22

