

Regional Drugs Testing Laboratory

Directorate General of Health Services, Guwahati (India)- 781022 Fax: 0361-2338555/2330555 Phone No.0361 2338555

Email:rdtlguwahati@cdsco.nic.in

FORM 13 (See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

I. Name of Inspector from whom received

: K. Lalngilneia,

Asst. Director (F&D),

CMO Office, Mamit District: Mamit,

Pin- 796441.

2. Serial No. and date of Inspector's memorandum

: B.17011/12/09-CMO(M)/DRUGS/31 , Date: 09-DEC-2024

Incid

rahaii.

3. Number of Sample

: MD08/31

4. Date of receipt

: 20-DEC-2024

5. Names of drugs purporting to be contained in the sample : Telmisartan Tablets IP 40mg (Savtel 40 Tablets)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	
LSD/GUW/2024- 25/1745	GUW/LS/2024- 25/1771	PT-40584	Feb-2024	Jan-2026	Pharmaroots Healthcare, Khasra No. 411, Village Tipra, P.O. Barotiwala, Tehsil Baddi, Distt. Solan, H.P.

6. Condition of seals on

[the packet or on portion of sample or container]

Seals were intact & identical to the Specimen impression of the seal received from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied : Please see below

Date of Testing:

From 17-Feb-2025 To 21-Feb-2025

COMPOSITION

Each film coated tablet contains:

Telmisartan IP 40 mg

Protocol Applied: I.P. 2022

Test Name	Result	Limits	
Description	White, round, film coated, bi-convex tablet having scored on one side in blister strip.	NA	
Identification	Gives positive test for Telmisartan.	NA	
Average weight	0.3508 g	NA	
Uniformity of weight	Passes the test.	NA	
Dissolution	Does not comply.	NA	
	Description Identification Average weight Uniformity of weight	Description White, round, film coated, bi-convex tablet having scored on one side in blister strip. Identification Gives positive test for Telmisartan. Average weight 0.3508 g Uniformity of weight Passes the test.	

Level Number Tested		Result	Acceptance Criteria	
S1	6	Drug release of 6 units are found as follows: i. 61.3%, ii. 60.2%, iii. 66.1%, iv. 59.7%, v. 59.7%, vi. 59.5%. Drug release of all units are found less than 75+5%.	Each unit is not less than Q+5% where "Q" is 75%	
S2	6	Drug release of 6 units are found as follows: i. 72.1%, ii. 72.3%, iii. 77.3%, iv. 77.1%, v. 78.0%, vi. 73.4%. 1. Average drug release of 12 units (S ₁ +S ₂) 68.1%.	Average of 12 units (S₁+S₂) is ≥Q, and no unit is less than Q-15%	
\$3	12			

Assay

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method
1	Telmisartan	38.9 mg/Tablet	40 mg/Tablet	97.25	90 % to 110 %	I.P. 2022

In the opinion of the undersigned the sample referred to above **is not of standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules there under for the reasons given below:-

The sample does not conform to I.P. with respect to the test for "Dissolution".

Date: 25-FEB-2025

GOVERNMENT ANALYST Amar Juoti Chamuah Government Analyst

Report in red coloured paper indicates the sample is Not of Standard Quality.

------ END OF REPORT -----