

Regional Drugs Testing Laboratory Directorate General of Health Services, Guwahati (India)-781022 Fax: 0361-2338555/2330555 Phone No.0361 2338555 Email: rdtlguwahati@cdsco.nic.in

ugs Testin Govt. Of India Guwahati

FORM 13 (See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

1. Name of Inspector from whom received

: MR.R. VANLALRUATA

ASSISTANT DIRECTOR (F & D)

OFFICE OF THE CHIEF MEDICAL OFFICER,

AIZAWL, MIZORAM, PIN: - 796001

Serial No. and date of Inspector's memorandum

: MZ/24/ A 'E'/23/IPA

Date 19/12/24

Number of Sample

:Nil

Date of receipt

:31-DEC-2024

5. Names of drugs purporting to be contained in the sample: Dextrose Injection I.P. (5% w/v); 500ml

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024- 25/1692	GUW/LS/2024- 25/1711	(N) 243113	06/2024	05/2026	KLOKTER LIFESCIENCES PVT.LTD. Samora, Indri Road, Karnal -132041.

6. Condition of seals on

[the packet or on portion of sample or container]

Seals were intact & identical to the Specimen impression of the seal received from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied .: Please see below

Date of Testing: From 17-Jan-2025To 10-Feb-2025

COMPOSITION

Dextrose (Anhydrous) I.P.

Protocol Applied: I.P. 2022

Sr No.	Test Name	Result		
1	Description	Clear, colourless liquid in sealed translucent plastic container.	NA	
2	Identification	Gives positive test for Dextrose.	NA	
3	Sterility	Complies.	NA	
4	Bacterial endotoxins	Complies.	NA	
5	5-Hydroxymethylfurfural and related substances	Complies.	NA	
6	Particulate contamination	Complies.	NA	
7	рН	Complies (Found: 3.82)	3.5 to 6.5	

Assay

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method
1 Hadak	Dextrose Anhydrous	4.96 % w/v	5% w/v	99.2	95 % to 105 %	I.P. 2022

In the opinion of the under signed the sample referred to above **is of standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules thereunder for the reasons given below:-

The sample conforms to I.P. with respect to the above tests only.

Date: 14-FEB-2025

GOVERNMENT ANALYST

Dilip Kr. Sarkar

Government Analyst
R.D.T.L., Guwahati-22

CDSCO I CDSCO

REPORT

CDSCO I CDSCO

Required oracle of the control of the contr