



FORM 13
(See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER
SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

1. Name of Inspector from whom received : MR. R. VANLALRUATA
ASSISTANT DIRECTOR (F&D)
OFFICE OF CHIEF MEDICAL OFFICER,
AIZAWL, MIZORAM, PIN: - 796017
2. Serial No. and date of Inspector's memorandum : MZ/2025/CMO 'E'/IPA/8 Date 20/1/25
3. Number of Sample : Nil
4. Date of receipt : 29-JAN-2025
5. Names of drugs purporting to be contained in the sample: Ondansetron Oral Solution IP (2 mg/ 5 ml) (Onvin NF)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024-25/1876	GUW/LS/2024-25/1894	SP236007	Jul-2023	Jun-2025	Sotac Pharmaceuticals Pvt. Ltd. Plot No.: PF/21& 22-A, Nr. Acme Pharma, Opp. Teva Pharma, Sanand GIDC - II, Sanand, Ahmedabad, Gujarat (INDIA)

6. Condition of seals on :
[the packet or on portion of sample or container] : Seals were intact & identical to the
Specimen impression of the seal
received from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied : Please see below

Date of Testing : From 21-Feb-2025 To 13-Mar-2025

COMPOSITION : Each 5 ml contains:
Ondansetron Hydrochloride IP
Equivalent to Ondansetron 2 mg

Protocol Applied : I.P. 2022

Sr No.	Test Name	Result	Limits
1	Description	Pink colour syrup in sealed amber colour plastic bottle along with volume measuring plastic cup.	NA
2	Identification	Gives positive test for Ondansetron.	NA
3	Weight per ml	1.0912g/ml.	NA
4	pH	Complies (Found: 3.84).	3.3 to 4.0.

Assay

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method

1	Ondansetron Hydrochloride Equivalent to Ondansetron	2.07 mg/5ml	2 mg/5ml	103.5	95 % to 105 %	I.P. 2022
---	--	-------------	----------	-------	---------------	-----------

In the opinion of the under signed the sample referred to above **is of standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules thereunder for the reasons given below:-

The sample conforms to I.P. with respect to the above tests only.

Date: 20-MAR-2025



GOVERNMENT ANALYST
Dilip Kr. Sarkar
Government Analyst
R.D.T.L., Guwahati-22

----- END OF REPORT -----

