

## Regional Drugs Testing Laboratory Directorate General of Health Services, Guwahati (India)-781022 Fax: 0361-2338555/2330555 Phone No.0361 2338555

Email: rdtlguwahati@cdsco.nic.in



## **FORM 13** (See rule 46)

## CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

1. Name of Inspector from whom received

: Mrs. C. Ramdinmawii

Assistant Director (Food & Drugs) C.M.O. Office, Champhai-796321

Mizoram.

2. Serial No. and date of Inspector's memorandum

: 034/IPA-CPI/24

Date: 17/01/2025

3. Number of Sample

:Nil

4. Date of receipt

:03-FEB-2025

Names of drugs purporting to be contained in the sample: Dicyclomine Hydrochloride Injection IP; (2ml)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024- 25/1894	GUW/LS/2024- 25/1918	J-1390	July-2023	June-2025	Jackson Laboratories Pvt.Ltd. 22-24, Majitha Road, Bye Pass, Amritsar-143 001(India)

6. Condition of seals on

[the packet or on portion of sample or container]

Seals were intact & identical to the Specimen impression of the seal received from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied :Please see below

Date of Testing: From 18-Feb-2025To 17-Mar-2025

COMPOSITION

Each ml contains:

Dicyclomine Hcl IP 10 mg

Sr No.	Test Name	Result	Limits		
1	Description	Colorless solution in sealed amber colour glass ampoule with blue dot mark on the neck in paper carton.			
2	Identification	Gives positive test for Dicyclomine Hydrochloride.			
3	Sterility	Complies.	NA		
4	Bacterial endotoxins	Complies.	NA		
5	Extractable volume	Complies.	NA		
6	Particulate matter	Complies.	NA		

Assay

	mg. surent reality	Found	Claim	% of claim	Limits	Procedure / Method
1	Dicyclomine Hydrochloride	9.72 mg/ml	10 mg/ml	97.2	93.0 to 107.0 %	I.P. 2022

In the opinion of the under signed the sample referred to above **is of standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules thereunder for the reasons given below:-

The sample conforms to I.P. with respect to the above tests only.

Date: 21-MAR-2025

GOVERNMENT ANALYST

Dilip Kr. Sarkar

Government Analyst

R.D.T.L., Guwahati-22

CDSCO / CDSCO

----- END OF REPORT -----