

FORM 13
(See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER
SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

1. Name of Inspector from whom received : Mr.R.VANLALRUATA,
Assistant Director (F&D)
Office of the Chief Medical Officer,
Aizawl, Mizoram, PIN - 796001
2. Serial No. and date of Inspector's memorandum : MZ/24/AE/25/IPA , 19-DEC-2024
3. Number of Sample : --
4. Date of receipt : 31-DEC-2024
5. Names of drugs purporting to be contained in the sample : AZITHROMYCIN TABLETS I.P. (ZAX 250)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024-25/1885	GUW/LS/2024-25/1905	TI-23090	Sep-2023	Aug-2025	Horizon Bioceuticals Pvt. Ltd., Plot No.3A, Ind. Area, Trilokpur Road, Kala Amb, Distt, Sirmour (H.P.).

6. Condition of seals on : Seals were intact & identical to the
[the packet or on portion of sample or container] Specimen impression of the seal
received from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied : Please see below

Date of Testing : 19-Mar-2025, 20-Mar-2025

COMPOSITION : Each film coated tablet contains:
Azithromycin IP eq. to Anhydrous Azithromycin 250 mg.

Protocol Applied : I.P. 2022


Sr No.	Test Name	Result	Limits
1	Description	White, elongated, bi-convex, film coated tablet having a dosage line on one side in blister strip.	NA
2	Identification	Gives positive test for Azithromycin.	NA
3	Average weight	0.3631 g	NA
4	Uniformity of weight	Complies.	NA
5	Dissolution	Complies.	NLT 75%

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method
1	Azithromycin eq. to Anhydrous Azithromycin	239.02 mg/Tablet	250 mg/Tablet	95.608	90 % to 110 %	I.P. 2022

In the opinion of the undersigned the sample referred to above **is of standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules there under for the reasons given below:-

The sample conforms to I.P. with respect to the above tests only.

Date: 20-MAR-2025



GOVERNMENT ANALYST
Amor Jyoti Chamuah
 Government Analyst
 R.D.T.L., Guwahati-22

END OF REPORT

