

Regional Drugs Testing Laboratory

Directorate General of Health Services, Guwahati (India) - 781022 Drug

Fax: 0361-2338555/2330555 Phone No.0361 2338555

Email:rdtlguwahati@cdsco.nic.in

FORM 13 (See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER
SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

1. Name of Inspector from whom received

: TIMOTHY THANCHUNGNUNGA, Assistant Director (F

and D)

CMO West Office

Kulikawn, Aizawl- 796005

2. Serial No. and date of Inspector's memorandum

: B.11012/5/2024-CMO (W)/DRUGS/43, 21-JAN-2025

3. Number of Sample

: SMP/MZ/TMT/2024-2025/038

4. Date of receipt

: 03-FEB-2025

5. Names of drugs purporting to be contained in the sample : Ondansetron Oral Solution IP (2 mg/ 5 ml) (Onvin NF)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg. & Exp	Marketed By	Mfg. By
LSD/GUW/2024- 25/1941	GUW/LS/2025- 26/7	SP246003	Apr-2024 Mar-2026	NA	Sotac Pharmaceuticals Ltd. (A WHO:GMP Certified Company), Pf/21 & 21-A & 22-A, Nr. Acme Pharma, Opp. Teva Pharma, Sanand GIDC- II, Sanand, Ahmedabad, Gujarat (INDIA)

6. Condition of seals on

[the packet or on portion of sample or container]

Seals were intact & identical to the specimen impression of the seal received

from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied : Please see below

Date of Testing: From 21-Feb-2025 To 24-Mar-2025

COMPOSITION

Each 5 ml contains:

Ondansetron Hydrochloride IP Equivalent to Ondansetron 2 mg

Protocol Applied: I.P. 2022

Sr No.	Test Name	Result	NA Limits	
1 -	Description	Orange colored syrup filled in amber color plastic bottles with screw cap, along with measuring cups.		
2	Identification	Gives positive test for Ondansetron.	NA	
3	Weight per ml	1.0861 g/ml	NA	
4 pH		3.65	3.3 to 4 .	

<u>Assay</u>

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method
		الد				
						"

1	Ondansetron	2.02 mg/5ml	2 mg/5ml	101	95 % to 105 %	I.P. 2022
	Hydrochloride eq.to					
	Ondansetron				and the second	

In the opinion of the undersigned the sample referred to above **is of standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules there under for the reasons given below:-

The sample conform to claim as per I.P. 2022 in respect of test performed.

Date: 01-APR-2025

GOVERNMENT ANALYST

Rinku Kalita Government Analyst R.D.T.L., Guwahati-22

----- END OF REPORT -----