



FORM 13
(See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER
SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

- Name of Inspector from whom received : SARAH LALDINTLUANGI
ASSISTANT DIRECTOR (FOOD & DRUGS)
Sr. CMO OFFICE, SERCHHIP-796181, SERCHHIP
- Serial No. and date of Inspector's memorandum : 002/IPA/2024 Date 25/11/2024
- Number of Sample : Nil
- Date of receipt : 26-DEC-2024
- Names of drugs purporting to be contained in the sample : IRON & FOLIC ACID TABLETS IP

Lab. Sample No.	Report No.	Batch No.	Date of Mfg. & Exp	Marketed By	Mfg. By
LSD/GUW/2025-26/0034	GUW/LS/2025-26/32	SMR-30603	06/2023 05/2025	NA	M/s. SUDARSHAN Pharmaceuticals Pvt. Ltd. 17B/18A, Sector-F, Industrial Area, Sanwer Road, Indore-452015.

- Condition of seals on : Seals were intact & identical to the
[the packet or on portion of sample or container] Specimen impression of the seal
received from Drugs Inspector

- Result of test or analysis with protocols or test or analysis applied : Please see below

Date of Testing : From 25-Mar-2025 To 07-Apr-2025

COMPOSITION :

Each sugar coated tablet contains:
Dried Ferrous Sulphate IP 200 mg.
(eq. to Ferrous Elemental Iron 60mg)
Folic Acid IP 0.5 mg

Protocol Applied: I.P. 2022

Sr No.	Test Name	Result	Limits
1	Description	Red colour, round, bi-convex, sugar coated tablet in blister pack.	NA
2	Identification	Gives positive test for Ferrous Sulphate & Folic Acid.	NA
3	Average weight	0.3617 gm.	NA
4	Disintegration	Complies (Time taken for Disintegration: 46 minutes 18 seconds).	NMT 60 minutes
5	Uniformity of content	Complies (for Folic Acid).	NA

Assay

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure Method
1	Dried Ferrous Sulphate (eq. to Ferrous Elemental Iron	62.02 mg/Tablet	60 mg/Tablet	103.366	90 % to 110 %	I.P. 2022
2	Folic Acid	0.67 mg/Tablet	0.5 mg/Tablet	134	NLT 90 %	I.P. 2022

In the opinion of the under signed the sample referred to above **is of standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules thereunder for the reasons given below:-

The sample conforms to I.P. with respect to the above tests only.

Date: 07-APR-2025

GOVERNMENT ANALYST

Dilip Kr. Sarkar

Government Analyst

R.D.T.L., Guwahati-22

----- END OF REPORT -----

