



FORM 13  
(See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER  
SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

1. Name of Inspector from whom received : Mrs. C. Ramdinmawii, Assistant Director (Food and Drugs)  
C.M.O. Office,  
Champhai-796321 Mizoram
2. Serial No. and date of Inspector's memorandum : 023/IPA-CPI/24 , 16-DEC-2024
3. Number of Sample : NIL
4. Date of receipt : 31-DEC-2024
5. Names of drugs purporting to be contained in the sample : Ciprofloxacin Eye Drops IP (CIPLOX Eye / Ear Drops)

Lab. Sample No.	Report No.	Batch No.	Date of Mfg.	Date of Exp.	Mfg. By
LSD/GUW/2024-25/1890	GUW/LS/2024-25/1912	4L80704	Jun-2024	May-2027	CIPLA LTD, Ambica Estate, National Highway No. 8, Aslali, Ahmedabad 382427 INDIA. At: Village Sachana, Tal Viramgam, Dist. Ahmedabad 382150 INDIA

6. Condition of seals on : Seals were intact & identical to the specimen impression of the seal received from Drugs Inspector  
[the packet or on portion of sample or container]

7. Result of test or analysis with protocols or test or analysis applied : Please see below

Date of Testing : From 20-Jan-2025 To 13-Mar-2025

COMPOSITION : Ciprofloxacin Hydrochloride IP Equivalent to Ciprofloxacin 0.3% w/v  
Benzalkonium Chloride IP 0.01% w/v

**Protocol Applied : I.P. 2022**

Sr No.	Test Name	Result	Limits
1	Description	Clear and colorless liquid filled in colorless translucent sealed plastic ampoules with screw cap, supplied in paper carton.	NA
2	Identification	Gives positive test for Ciprofloxacin.	NA
3	Sterility	Passes the test.	NA
4	Extractable volume	Complies.	NA
5	Particulate matter	Passes the test.	NA
6	pH	4.3 .	3.5 to 5.5 .

## Assay

Sr.No	Ingredient Name	Found	Claim	% of claim	Limits	Procedure / Method
1	Ciprofloxacin Hydrochloride equivalent to Ciprofloxacin	0.31 % w/v	0.3 % w/v	103.333	90 % to 110 %	I.P. 2022

In the opinion of the undersigned the sample referred to above **is of standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules there under for the reasons given below:-

The sample conform to claim as per I.P. 2022 in respect of test performed.

Date: 20-MAR-2025

*Rinku Kalita*  
GOVERNMENT ANALYST

**Rinku Kalita**  
Government Analyst  
R.D.T.L., Guwahati-22

-----END OF REPORT-----

