



FORM 13  
(See rule 46)

CERTIFICATE OF TEST OR ANALYSIS BY GOVERNMENT ANALYST UNDER  
SECTION 25(1) OF THE DRUGS AND COSMETICS ACT, 1940

1. Name of Inspector from whom received : Lalruatdika varte  
Drugs Inspector  
Office of the Chief Medical Officer  
Kolasib, Mizoram- 796082
2. Serial No. and date of Inspector's memorandum : KLB/21/2025/IPA/DRUGS  
Dated Kolasib, the 3<sup>rd</sup> March, 2025
3. Number of Sample : Nil
4. Date of receipt : 10-MAR-2025
5. Names of drugs purporting to be contained in the sample: Cetirizine Hydrochloride Tablets IP (Microcet)

| Lab. Sample No.      | Report No.         | Batch No.  | Date of Mfg. & Exp   | Marketed By | Mfg. By                                                                                             |
|----------------------|--------------------|------------|----------------------|-------------|-----------------------------------------------------------------------------------------------------|
| LSD/GUW/2025-26/0254 | GUW/LS/2025-26/262 | TMR-222129 | NOV.2022<br>OCT.2025 | NA          | Prochem Pharmaceuticals Pvt. Ltd.<br>140-141, Makkanpur Bhagwanpur,<br>Roorkee, Dist. Haridwar (UK) |

6. Condition of seals on : Seals were intact & identical to the  
[the packet or on portion of sample or container] Specimen impression of the seal  
received from Drugs Inspector

7. Result of test or analysis with protocols or test or analysis applied : Please see below  
Date of Testing : From 02-May-2025 To 21-May-2025

COMPOSITION : Each film coated tablet contains:  
Cetirizine Hydrochloride IP 10 mg  
**Protocol Applied : I.P. 2022**

| Sr No. | Test Name      | Result                                                                                            | Limits            |
|--------|----------------|---------------------------------------------------------------------------------------------------|-------------------|
| 1      | Description    | White, elongated, bi-convex, film coated tablet having a dosage line on one side in blister pack. | NA                |
| 2      | Identification | Gives positive test for Cetirizine Hydrochloride.                                                 | NA                |
| 3      | Average weight | 0.18104 gm.                                                                                       | NA                |
| 4      | Dissolution    | Complies (Release of all six units were found above 'Q' 75+5%).                                   | NLT 75 % of Claim |

**Assay**

| Sr.No | Ingredient Name          | Found           | Claim        | % of claim | Limits        | Procedure / Method |
|-------|--------------------------|-----------------|--------------|------------|---------------|--------------------|
| 1     | Cetirizine Hydrochloride | 9.343 mg/Tablet | 10 mg/Tablet | 93.43      | 90 % to 110 % | I.P. 2022          |

In the opinion of the under signed the sample referred to above is of **standard quality** as defined in the Drugs and Cosmetics Act, 1940, and Rules thereunder for the reasons given below:-

**The sample conforms to I.P. with respect to the above tests only.**

**Date: 22-MAY-2025**

**GOVERNMENT ANALYST**  
**Dilip Kr. Sarkar**  
Government Analyst  
R.D.T.L., Guwahati-22

-----END OF REPORT-----

